

Notice of Allowability

Application No.

10/021,851

Examiner

Merrick Dixon

Applicant(s)

HOWLAND, CHARLES

Art Unit

1774

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to RCE filed 2-25-05.
2. ☒ The allowed claim(s) is/are 1-21.
3. ☒ The drawings filed on 13 December 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).**
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 2-25-05
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.


Merrick Dixon
Primary Examiner
Art Unit: 1774

Art Unit: 1774

15

Pursuant to RCE filed 2-25-05, the instant office action is offered.

The instant application has been reexamined. Claims 1-21 are allowed.

16

The following is an examiner's statement of reasons for allowance: The claimed invention is deemed unobvious over the cited art of record because such art does not teach or reasonably suggest the overall aspects of a protective covering system resistant to penetration of an object comprising a plurality of matrix layers in combination with a plurality of protective elements, each of at least two of said matrix layers having a plurality of said protective elements attached to the matrix layer in a uniform pattern, the protective elements being constructed and configured in respective matrix layers to resist penetration of an object having an energy of at least 25 joules and presenting an impact area of at most $1 \times 10 \exp -6$ square inches upon contact of the object with said protective elements..

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

17

The restriction of 3-12-03 is hereby withdrawn.

18

Applicants who wish to send a facsimile (draft copies) for the examiner's immediate review can now do so by using the Examiner Dixon's personal fax number at 571-273-1520. The faxing of all papers must

Art Unit: 1774

conform with the notice published in the Official Gazette, 1096 O.G. 30 (November 15, 1989). **NOTE: All facsimiles sent to the examiner's personal fax number should be in draft-forms and will be treated as informal. Same facsimiles will not be entered in the related applications unless otherwise noted by the examiner.**

19

Any questions concerning the instant communication should be directed to Examiner Dixon, at 571-272-1520, Mondays to Thursdays, between 12 noon and 8 PM, eastern time .

All other questions should be directed to the General Information line for TC1700, at 571-272-1700.



Merrick Dixon

Primary Examiner

Group 1700